

# ● PRINTER RUSH ●

(PTO ASSISTANCE)

Application : <u>10/66/689</u>	Examiner : <u>Meeks</u>	GAU : <u>1762</u>
From : <u>CA</u>	Location : <u>(IDC) FMF FDC</u>	Date : <u>6/15/05</u>
Tracking # : <u>0615674</u>		Week Date : <u>6/13/05</u>

DOC CODE	DOC DATE	MISCELLANEOUS
<input type="checkbox"/> 1449	_____	<input type="checkbox"/> Continuing Data
<input type="checkbox"/> IDS	_____	<input type="checkbox"/> Foreign Priority
<input type="checkbox"/> CLM	_____	<input type="checkbox"/> Document Legibility
<input type="checkbox"/> IIFW	_____	<input type="checkbox"/> Fees
<input type="checkbox"/> SRFW	_____	<input type="checkbox"/> Other
<input type="checkbox"/> DRW	_____	
<input type="checkbox"/> OATH	_____	
<input type="checkbox"/> 312	_____	
<input checked="" type="checkbox"/> SPEC	<u>9/21/04</u>	

[RUSH] MESSAGE: Amendment to spec: instructions, page 1  
(line numbers) don't correspond to what's in the text.  
Where should "Field of the Invention"  
be inserted. Please Resub  
Thank You  
(D)

[XRUSH] RESPONSE: Amendment filed 9/21/04, annotated in IFW as "copy"  
explicitly says that the other paper filed 9/21/04 was to be replaced by  
the current paper. There are no amendments made to the specification  
and they should be ignored.

INITIALS: ERF

NOTE: This form will be included as part of the official USPTO record, with the Response document coded as XRUSH.  
 REV 10/04